ELSEVIER

Analytica Chimica Acta 469 (2002) 311–313

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

Author Index

Abel, A.P., see Duveneck, G.L. 49
Allain, L.R.
— and Vo-Dinh, T.
Surface-enhanced Raman scattering detection of the breast cancer susceptibility gene *BRCA1* using a silver-coated microarray platform 149
Aouabdi, S., see Karousos, N.G. 189
Araki, K.
—, Goto, M. and Furusaki, S.
Enantioselective polymer prepared by surface imprinting technique using a bifunctional molecule 173

Bakhtiar, R.
—, Ramos, L. and Tse, F.L.S.
Quantification of methylphenidate in rat, rabbit and dog plasma using a chiral liquid-chromatography/tandem mass spectrometry method. Application to toxicokinetic studies 261
Bermejo, E., see Chicharro, M. 243
Billova, S., see Paleček, E. 73
Biran, I., see Epstein, J.R. 3
Block, K., see Wang, J. 197
Bopp, M.A., see Duveneck, G.L. 49
Boutron, C.F., see Burton, G.R. 225
Bruckner-Lea, C.J.
—, Tsukuda, T., Dockendorff, B., Follansbee, J.C., Kingsley, M.T., Ocampo, C., Stults, J.R. and Chandler, D.P.
Renewable microcolumns for automated DNA purification and flow-through amplification: from sediment samples through polymerase chain reaction 129
Burton, G.R.
—, Morgan, V.I., Boutron, C.F. and Rosman, K.J.R.
High-sensitivity measurements of strontium isotopes in polar ice 225

Cai, H.
—, Wang, Y., He, P. and Fang, Y.
Electrochemical detection of DNA hybridization based on silver-enhanced gold nanoparticle label 165
Cavic, B.A.
— and Thompson, M.
Interfacial nucleic acid chemistry studied by acoustic shear wave propagation 101
Cesaretti, S., see Lucarelli, F. 93
Chandler, D.P., see Bruckner-Lea, C.J. 129
Chang, S.-M., see Nakamura, C. 183
Chen, W., see Wang, J. 197
Chen, Y.-C., see Jan, S.-S. 205
Cheng, C.-C., see Jan, S.-S. 205
Chiang, J.-L., see Jan, S.-S. 205
Chicharro, M.
—, Zapardiel, A., Bermejo, E. and Sánchez, A.
Simultaneous UV and electrochemical determination of the herbicide asulam in tap water samples by micellar electrokinetic capillary chromatography 243
Chou, J.-C., see Jan, S.-S. 205
Chu, C., see Ma, L. 273
Çökeliler, D.
— and Mutlu, M.
Performance of amperometric alcohol electrodes prepared by plasma polymerization technique 217
Collins, G.E., see Lu, Q. 253

Dmitrienko, S.G.
—, Medvedeva, O.M., Ivanov, A.A., Shpigun, O.A. and Zolotov, Yu.A.
Determination of gallic acid with 4-nitrobenzenediazonium tetrafluoroborate by diffuse reflectance spectrometry on polyurethane foam 295
Dockendorff, B., see Bruckner-Lea, C.J. 129
Duveneck, G.L.
—, Abel, A.P., Bopp, M.A., Kresbach, G.M. and Ehrat, M.
Planar waveguides for ultra-high sensitivity of the analysis of nucleic acids 49

Ehrat, M., see Duveneck, G.L. 49
Epstein, J.R.
—, Biran, I. and Walt, D.R.
Fluorescence-based nucleic acid detection and microarrays 3

Fang, Y., see Cai, H. 165
Fojta, M., see Paleček, E. 73
Follansbee, J.C., see Bruckner-Lea, C.J. 129
Furusaki, S., see Araki, K. 173

García-Vargas, M., see Tovar, A. 235
Gauglitz, G., see Kröger, K. 37
Goto, M., see Araki, K. 173

Havran, L., see Paleček, E. 73
He, P., see Cai, H. 165

PII: S0003-2670(02)00902-9

Hogan, M.E., see Mitra, R. 141

Ivanov, A.A., see Dmitrienko, S.G. 295

Jan, S.-S.
—, Chiang, J.-L., Chen, Y.-C., Chou, J.-C. and Cheng, C.-C.
Characteristics of the hydrogen ion-sensitive field effect transistors with sol–gel-derived lead titanate gate 205
Jung, A., see Kröger, K. 37

Karousos, N.G.
—, Aouabdi, S., Way, A.S. and Reddy, S.M.
Quartz crystal microbalance determination of organophosphorus and carbamate pesticides 189
Keusgen, M., see Krest, I. 155
Kingsley, M.T., see Bruckner-Lea, C.J. 129
Kizek, R., see Paleček, E. 73
Kompany-Zareh, M.
—, Tavallali, H. and Sajjadi, M.
Application of generalized artificial neural networks coupled with an orthogonal design to optimization of a system for the kinetic spectrophotometric determination of Hg(II) 303
Korri-Youssoufi, H.
— and Makrouf, B.
Electrochemical biosensing of DNA hybridization by ferrocenyl groups functionalized polypyrrole 85
Krause, R., see Wang, J. 197
Kresbach, G.M., see Duveneck, G.L. 49
Krest, I.
— and Keusgen, M.
Biosensoric flow-through method for the determination of cysteine sulfoxides 155
Kröger, K.
—, Jung, A., Reder, S. and Gauglitz, G.
Versatile biosensor surface based on peptide nucleic acid with label free and total internal reflection fluorescence detection for quantification of endocrine disruptors 37
Krull, U.J., see Watterson, J. 115

Li, K., see Yang, R. 285
Li, N., see Yang, R. 285
Liu, F., see Yang, R. 285
Lu, Q.
—, Collins, G.E., Smith, M. and Wang, J.
Sensitive capillary electrophoresis microchip determination of trinitroaromatic explosives in nonaqueous electrolyte following solid phase extraction 253
Lucarelli, F.
—, Marrazza, G., Palchetti, I., Cesaretti, S. and Mascini, M.
Coupling of an indicator-free electrochemical DNA biosensor with polymerase chain reaction for the detection of DNA sequences related to the apolipoprotein E 93

Ma, L.
—, Tang, B. and Chu, C.
Spectrofluorimetric study of the β-cyclodextrin–dapsone–linear alcohol supramolecular system and determination of dapsone 273
Makrouf, B., see Korri-Youssoufi, H. 85
Mánuel-Vez, M.P., see Tovar, A. 235
Marrazza, G., see Lucarelli, F. 93
Mascini, M., see Lucarelli, F. 93
Medvedeva, O.M., see Dmitrienko, S.G. 295
Mitra, R.
—, Powdrill, T. and Hogan, M.E.
High throughput drug screening by direct RNA profiling on DNA sensors 141
Miyake, J., see Nakamura, C. 183
Moreno, C., see Tovar, A. 235
Morgan, V.I., see Burton, G.R. 225
Mulchandani, A., see Wang, J. 197
Mulchandani, P., see Wang, J. 197
Musameh, M., see Wang, J. 197
Mutlu, M., see Çökeliler, D. 217

Nakamura, C.
—, Song, S.-H., Chang, S.-M., Sugimoto, N. and Miyake, J.
Quartz crystal microbalance sensor targeting low molecular weight compounds using oligopeptide binder and peptide-immobilized latex beads 183

Ocampo, C., see Bruckner-Lea, C.J. 129

Palchetti, I., see Lucarelli, F. 93
Paleček, E.
—, Kizek, R., Havran, L., Billova, S. and Fojta, M.
Electrochemical enzyme-linked immunoassay in a DNA hybridization sensor 73
Piunno, P.A.E., see Watterson, J. 115
Powdrill, T., see Mitra, R. 141

Ramos, L., see Bakhtiar, R. 261
Reddy, S.M., see Karousos, N.G. 189
Reder, S., see Kröger, K. 37
Rosman, K.J.R., see Burton, G.R. 225

Sajjadi, M., see Kompany-Zareh, M. 303
Sánchez, A., see Chicharro, M. 243
Schöning, M.J., see Wang, J. 197
Shpigun, O.A., see Dmitrienko, S.G. 295
Smith, M., see Lu, Q. 253
Song, S.-H., see Nakamura, C. 183
Stults, J.R., see Bruckner-Lea, C.J. 129
Sugimoto, N., see Nakamura, C. 183

Tang, B., see Ma, L. 273
Tavallali, H., see Kompany-Zareh, M. 303
Thompson, M., see Cavic, B.A. 101
Tovar, A.
—, Moreno, C., Mánuel-Vez, M.P. and García-Vargas, M.
A simple automated method for the speciation of dissolved inorganic nitrogen in seawater 235
Tse, F.L.S., see Bakhtiar, R. 261
Tsukuda, T., see Bruckner-Lea, C.J. 129

Vo-Dinh, T., see Allain, L.R. 149

Walt, D.R., see Epstein, J.R. 3
Wang, J.
Electrochemical nucleic acid biosensors 63
Wang, J.
—, Krause, R., Block, K., Musameh, M., Mulchandani, A., Mulchandani, P., Chen, W. and Schöning, M.J.
Dual amperometric–potentiometric biosensor detection system for monitoring organophosphorus neurotoxins 197
Wang, J., see Lu, Q. 253
Wang, K., see Yang, R. 285
Wang, Y., see Cai, H. 165
Watterson, J.
—, Piunno, P.A.E. and Krull, U.J.
Practical physical aspects of interfacial nucleic acid oligomer hybridisation for biosensor design 115
Way, A.S., see Karousos, N.G. 189

Yang, R.
—, Li, K., Wang, K., Liu, F., Li, N. and Zhao, F.
Cyclodextrin-porphyrin supramolecular sensitizer for mercury(II) ion 285

Zapardiel, A., see Chicharro, M. 243
Zhao, F., see Yang, R. 285
Zolotov, Yu.A., see Dmitrienko, S.G. 295